



SRI DEVARAJ URS ACADEMY OF HIGHER EDUCATION AND RESEARCH

(A Deemed to be University declared under Section 3 of UGC Act 1956)

Comprising Sri Devaraj Urs Medical College

[Constituent unit of Sri Devaraj Urs Educational Trust for Backward Classes (Regd.)]

TAMAKA, KOLAR-563 103, KARNATAKA, INDIA

Ph: 918152-243003, +91 9448395232, Fax : +918152 - 243008 E-mail - registrar@sduu.ac.in / office@sduu.ac.in. Website: www.sduu.ac.in

SDUAHER: CRITERION 7.1.3: LIST OF MOU DOCUMENTS

S.no	Content	Page No
1.	Karnataka state pollution control board-Biomedical waste authorization	2
2	Karnataka state pollution control board-Hazardous waste authorization	5
3	CFO-AIR & WATER: Karnataka state pollution control board-Consent for discharge of effluents and emission	9
4	Authorization of BMW- Consent for discharge of effluents and emission	14
5	VV Incin Pvt Ltd -Biomedical waste management agreement	20
6.	Meera Pvt Ltd -Biomedical waste management agreement	24

Registrar

Sri Devaraj Urs Academy of Higher
Education and Research
Tamaka, Kolar - 563 103.

ಫ್ಯಾಕ್ಸ್/Fax : 080-25586321
 ಈಮೇಲ್/E-mail : ho@kspcb.gov.in
 ವೆಬ್‌ಸೈಟ್/Website : http://kspcb.gov.in



25581383, 25589112
 25588151, 25588270
 25588142, 25586520

ಕರ್ನಾಟಕ ರಾಜ್ಯ ಮಾಲಿನ್ಯ ನಿಯಂತ್ರಣ ಮಂಡಳಿ
Karnataka State Pollution Control Board

"ಪರಿಸರ ಭವನ", 1 ರಿಂದ 5ನೇ ಮಹಡಿಗಳು, ನಂ. 49, ಚರ್ಚ್ ಸ್ಟ್ರೀಟ್, ಬೆಂಗಳೂರು - 560 001, ಕರ್ನಾಟಕ, ಭಾರತ
 "Parisara Bhavana", 1st to 5th Floor, # 49, Church Street, Bengaluru - 560 001, Karnataka, INDIA

FORM -III
 (See rule 10)
 AUTHORISATION

(Authorisation for operating a facility for generation, collection, reception, treatment, storage, transport and disposal of biomedical wastes)

1. File number of authorisation and date of issue NO.KPSCB/BMW/1951/2016/Reg.No. / 0B-947
 117579/ dt: 19 DEC 2016

2. M/s. R.L. Jalappa Hospital & Research Centre., an occupier or operator of the hospital located at NH-4, Tamaka, Kolar Taluk & District is hereby granted an authorisation for;

Activity Please tick: ✓

Generation, segregation ✓

Collection,

Storage ✓

packaging

Reception

Transportation

Treatment or processing or conversion

Recycling

Disposal or destruction use offering for sale, transfer

Any other form of handling

3. M/s. R.L. Jalappa Hospital & Research Centre, NH-4, Tamaka, Kolar Taluk & District is hereby authorized for handling of biomedical waste as per the capacity given below;

(i) Number of beds of HCF: 750 beds

Type of Waste Category	Quantity permitted for Handling:
Yellow	149 kgs/day
Red	
White (Translucent)	
Blue	

4. This authorisation shall be in force for a period of 01.07.2014 to 30.06.2021 years from the date of issue.

5. This authorisation is subject to the conditions stated below and to such other conditions as may be specified in the rules for the time being in force under the Environment (Protection) Act, 1986.

Date

Place: Bangalore

Ch. Jamee
 SENIOR ENVIRONMENTAL OFFICER

Mr. L. S. S. S. S.
 22/12/16
 Medical Superintendent


To,
The Occupier,
M/s. R.L. Jalappa Hospital & Research Centre,
NH-4, Tamaka, Kolar Taluk
Kolar District

TERMS AND CONDITIONS OF AUTHORISATION *

1. The authorisation shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.
2. The authorisation or its renewal shall be produced for inspection at the request of an officer authorised by the prescribed authority.
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the biomedical wastes without obtaining prior permission of the prescribed authority.
4. Any unauthorised change in personnel, equipment or working conditions as mentioned in the application by the person authorised shall constitute a breach of his authorisation.
5. It is the duty of the authorised person to take prior permission of the prescribed authority to close down the facility and such other terms and conditions may be stipulated by the prescribed authority.
6. Applicant insert take all necessary steps to ensure that bio-medical waste is handled without any adverse effect to human health and the environment and in accordance with these rules.
7. Make a provision within the premises for a safe, ventilated and secured location for storage of segregated biomedical waste in colored bags or containers in the manner as specified in Schedule I of the Bio-Medical Waste Management Rules, 2016.
8. to ensure that there shall be no secondary handling, pilferage of recyclables or inadvertent scattering or spillage by animals and the bio-medical waste from such place or premises shall be directly transported in the manner as prescribed in these rules to the common bio-medical waste treatment facility or for the appropriate treatment and disposal, as the case may be, in the manner as prescribed in Schedule I, the Bio-Medical Waste Management Rules, 2016.
9. Pre-treat the laboratory waste, microbiological waste, blood samples and blood bags through disinfection or sterilisation on-site in the manner as prescribed by the World Health Organisation (WHO) or National AIDs Control Organisation (NACO) guidelines and then sent to the common bio-medical waste treatment facility for final disposal;
10. Applicant shall phase out use of chlorinated plastic bags, gloves and blood bags within two years from the date of notification of these rules;
11. Applicant dispose of solid waste other than bio-medical waste in accordance with the provisions of respective waste management rules made under the relevant laws and amended from time to time;
12. Applicant shall not to give treated bio-medical waste with municipal solid waste;


J. Same
SENIOR ENVIRONMENTAL OFFICER

13. Applicant shall provide training to all its health care workers and others, involved in handling of bio medical waste at the time of induction and thereafter at least once every year and the details of training programmes conducted, number of personnel trained and number of personnel not undergone any training shall be provided in the Annual Report;
14. Applicant shall immunise all its health care workers and others, involved in handling of bio-medical waste for protection against diseases including Hepatitis B and Tetanus that are likely to be transmitted by handling of bio-medical waste, in the manner as prescribed in the National Immunisation Policy or the guidelines of the Ministry of Health and Family Welfare issued from time to time;
15. Applicant shall establish a Bar- Code System for bags or containers containing bio-medical waste to be sent out of the premises or place for any purpose within one year from the date of the notification of these rules;
16. Applicant shall ensure segregation of liquid chemical waste at source and ensure pre-treatment or neutralisation prior to mixing with other effluent generated from health care facilities;
17. Applicant shall ensure treatment and disposal of liquid waste in accordance with the Water (Prevention and Control of Pollution) Act, 1974 (6 of 1974);
18. Applicant shall ensure occupational safety of all its health care workers and others involved in handling of biomedical waste by providing appropriate and adequate personal protective equipments;
19. Applicant conduct health check up at the time of induction and at least once in a year for all its health care workers and others involved in handling of bio- medical waste and maintain the records for the same;
20. Applicant shall maintain and update on day to day basis the bio-medical waste management register and display the monthly record on its website according to the bio-medical waste generated in terms of category and colour coding as specified in Schedule I the Bio-Medical Waste Management Rules, 2016;
21. Applicant report major accidents including accidents caused by fire-hazards, blasts during handling of biomedical waste and the remedial action taken and the records relevant thereto, (including nil report) in Form I to the prescribed authority and also along with the annual report;
22. Applicant make available the annual report on its web-site and all the health care facilities shall make own website within two years from the date of notification of these rules;
23. Applicant inform the prescribed authority immediately in case the operator of a facility does not collect the bio-medical waste within the intended time or as per the agreed time;
24. Applicant establish a system to review and monitor the activities related to bio-medical waste management, either through an existing committee or by forming a new committee and the Committee shall meet once in every six months and the record of the minutes of the meetings of this committee shall be submitted along with the annual report to the prescribed authority and the healthcare establishments having less than thirty beds shall designate a qualified person to review and monitor the activities relating to bio-medical waste management within that establishment and submit the annual report;
25. Applicant maintain all record for operation of incineration, hydro or autoclaving etc., for a period of five years;
26. Applicant existing incinerators to achieve the standards for treatment and disposal of bio-medical waste as specified in Schedule II for retention time in secondary chamber and Dioxin and Furans within two years from the date of this notification.



Registrar

Sri Devaraj Urs Academy of Higher
Education and Research
Tamaka, Kolar - 563 103.


SENIOR ENVIRONMENTAL OFFICER



Form 2 -[Rule 6(2)] Authorization
under Hazardous & Other Wastes
[Management & Transboundary
Movement]Rules,2016

Authorization No: 304926

Valid upto: 30/06/2021

Karnataka State Pollution Control Board
Parisara Bhavana, No.49, Church
Street, Bengaluru-560001
Tele : 080-25589112/3, 25581383
Fax:080-25586321
email id: ho@kspcb.gov.in

(This document contains 4 pages excluding annexure)

Authorization No: 304926

PCB ID:

11347

Date: 20/01/2018

**FORM FOR GRANT OR RENEWAL OF AUTHORISATION BY STATE POLLUTION
CONTROL BOARD TO THE OCCUPIERS, RECYCLERS, REPROCESSORS, REUSERS, USER
AND OPERATORS OF DISPOSAL FACILITIES**

Ref: 1. Authorization application submitted by the industry/organization on 30/11/2017 at
Regional Office.

2. Inspection of the project site/organization by Regional Officer , Kolar on 30/11/2017

3. Proceedings of CCM dated: 02/01/2018 , held on: 29/12/2017

1. Number of authorization and date of issue

2. Reference of application No. 16500 Inward Date 30/11/2017

3. Medical Superintendent of R.L. Jalappa Hospital & Research Centre is hereby granted an authorization based on the enclosed signed inspection report for Generation, Collection, Reception, Disposal or any other use of hazardous or other wastes or both on the premises situated at the location Address: NH-4 , NH-4, Tamaka, Kolar Taluk & District. Industrial Area : Tamaka , Taluk : Kolar , District : Kolar

Details of Authorization:

Category of Hazardous waste as per the Schedule I, II & IV of these rules	Description of Hazardous Waste	Quantity/Annum	Unit	Authorized Mode of Disposal or recycling or utilization or co-processing, etc.,
1	5.1-Used Spent Oil	0.300	KLT	As Per Annexure

1. The authorization shall be valid for a period upto 30/06/2021

A. General Conditions of authorization:



Form 2 -[Rule 6(2)] Authorization
under Hazardous & Other Wastes
[Management & Transboundary
Movement]Rules,2016

Authorization No: 304926

Valid upto: 30/06/2021

Karnataka State Pollution Control Board
Parisara Bhavana, No.49, Church
Street, Bengaluru-560001
Tele : 080-25589112/3, 25581383
Fax:080-25586321
email id: ho@kspcb.gov.in

(This document contains 4 pages excluding annexure)

1. The authorized person shall comply with the provisions of the Environment (Protection) Act, 1986 and the Rules made there under.
2. The authorization or its renewal shall be produced for inspection at the request of an Officer authorized by the Karnataka State Pollution Control Board.
3. The person authorized shall not rent, lend, sell, transfer or otherwise transport the hazardous wastes and other wastes except what is permitted through this authorization and without obtaining prior permission of the KSPCB.
4. Any unauthorized change in personnel, equipment or working conditions as mentioned in the application by the person authorized shall constitute a breach of this authorization.
5. The person authorized shall implement Emergency Response Procedure (ERP) for which this authorization is being granted considering all site specific possible scenarios such as spillages, leakages, fire etc. and their possible impacts and also carry out mock drill in this regard at regular interval of time.
6. The person authorized shall comply with the provisions outlined in the Central Pollution Control Board guidelines on "Implementing Liabilities for Environmental Damages due to Handling and Disposal of Hazardous Waste and Penalty".
7. It is the duty of the authorized person to take prior permission of the Karnataka State Pollution Control Board to close down the facility.
8. The imported hazardous and other wastes shall be fully insured for transit as well as for any accidental occurrence and its clean-up operation.
9. The importer or exporter shall bear the cost of import or export and mitigation of damages if any.
10. Any other conditions for compliance as per the Guidelines issued by the Ministry of Environment, Forest and Climate Change or Central Pollution Control Board from time to time.
11. An application for the renewal of an authorization shall be made '3' months before the date of expiry.
12. The Person authorized shall bring to the notice of the Board, if any increase in quantity, change in category and handling operation. In such cases, the authorized Person has to obtain fresh authorization.



Form 2 -[Rule 6(2)] Authorization
under Hazardous & Other Wastes
[Management & Transboundary
Movement]Rules,2016

Authorization No: 304926

Valid upto: 30/06/2021

(This document contains 4 pages excluding annexure)

Karnataka State Pollution Control Board
Parisara Bhavana, No.49, Church
Street, Bengaluru-560001
Tele : 080-25589112/3, 25581383
Fax:080-25586321
email id: ho@kspcb.gov.in

13. Karnataka State Pollution Control Board reserves the right to review, impose additional condition or conditions, revoke, change or alter the terms and conditions of this authorization or to suspend or cancel this authorization.

14. The Person authorized shall take steps for reduction and prevention of the waste generated or for recycling or reuse.

15. The authorized person shall maintain the records at site in Form-3 and shall submit the annual returns in Form-4 within 30th June every year for the Period April to March and manifest in Form-10.

16. The record of consumption and fate of the imported hazardous and other wastes shall be maintained.

17. The hazardous and other waste which gets generated during recycling or reuse or recovery or per-processing or utilization of imported hazardous or other wastes shall be treated and disposed of as per specific conditions of authorization.

18. The transportation of hazardous waste shall have to be carried out only through registered/authorized vehicles meant for transportation of hazardous waste.

19. The Person Authorized shall not store the Hazardous Waste more than ninety days as per Rule 8 (1).

20. The Person Authorized shall transport and store the raw materials in a manner so as not to cause any damage to environment, life and property. The applicant shall be solely responsible for any damages to environment.

21. Display Boards: The person authorized shall display sign boards at the storage site as "Hazardous Waste Storage Site" and "Danger" and the site shall be provided with accident preventive measures.

Additional Conditions:

General Conditions Nil are not applicable.

Registrar
Sri Devaraj Urs Academy of Higher
Education and Research
Tamaka, Kolar - 563 103.

For and on behalf of the
Karnataka State Pollution Control Board



Form 2 -[Rule 6(2)] Authorization
under Hazardous & Other Wastes
[Management & Transboundary
Movement]Rules,2016

Authorization No: 304926

Valid upto: 30/06/2021

(This document contains 4 pages excluding annexure)

Karnataka State Pollution Control Board
Parisara Bhavana, No.49, Church
Street, Bengaluru-560001
Tele : 080-25589112/3, 25581383
Fax:080-25586321
email id: ho@kspcb.gov.in



CHIEF/ SENIOR ENVIRONMENTAL OFFICER

COPY TO:

1. The Environmental Officer, KSPCB, Regional Office, for information and to inspect the industry during your next visit to the area.
2. Master copy (Dispatch).
3. Office copy.



**Consent For Operation
(CFO-Air,Water)**

Consent No. AW-301635
Valid upto: 30/06/2021

Industry Colour: RED Industry Scale: LARGE

Karnataka State Pollution Control Board
Parisara Bhavana, No.49, Church
Street, Bengaluru-560001
Tele : 080-25589112/3, 25581383
Fax:080-25586321
email id: ho@kspcb.gov.in

(This document contains 5 pages including annexure & excluding additional conditions)

Combined Consent Order No. AW-301635 PCB ID: 11347 Date: 15/12/2016

Combined consent for discharge of effluents under the Water (Prevention and Control of Pollution) Act, 1974 and emission under the Air (Prevention and Control of Pollution) Act, 1981

- Ref: 1. Application filed by the applicant/organization on 29/09/2016
 2. Inspection of the Industry/organization/by RO, on on 29/09/2016
 3. Proceedings of the CCM dated 24/10/2016, held on 19/10/2016

Consent is hereby granted to the Occupier under Section 25(4) of the Water (Prevention & Control of Pollution) Act, 1974 (herein referred to as the Water Act) & Section 21 of Air (Prevention & Control of Pollution) Act, 1981, (herein referred to as the Air Act) and the Rules and Orders made there under and authorized the Occupier to operate /carryout industry/activity & to make discharge of the effluents & emissions conforming to the stipulated standards from the premises mentioned below and subject to the terms and conditions as detailed in the Schedule Annexed to this order.

Location:

Name of the Industry: R.L. Jalappa Hospital & Research Centre
Address: NH-4, NH-4, Tamaka, Kolar Taluk & District.
Industrial Area: TAMAKA INDL ESTATE, Tamaka,
Taluk: Kolar, District: Kolar

Conditions:

a) Discharge of effluents under the Water Act:

Sr	Water Code	WC(KLD)	WWG(KLD)	Remark
1	Agriculture	14.000	0.000	
2	Boiler Feed	17.000	1.000	
3	Domestic Purpose	70.000	63.000	
4	Processing whereby water gets polluted and the pollutants are not easily bio-degradable and are toxic	25.000	20.000	Washing & Cleaning

b) Discharge of Air emissions under the Air Act from the following stacks etc.

Sl. No.	Description of chimney/outlet	Limits specified refer schedule
The details of Sources, control equipments and its specification, type of fuel, constituents to be controlled in emissions etc. are detailed in Annexure-II.		

The consent for operation is granted considering the following activities/Products:

Sr	Product Name	Applied Qty/Month	Unit
1	750 Bedded Hospital	0.000	NOS
2	Health care establishment	0.000	NOS

This consent is valid for the period from 29/09/2016 to 30/06/2021

For and on behalf of the
Karnataka State Pollution Control Board



RAMESH A

To,
R.L. Jalappa Hospital & Research Centre



**Consent For Operation
(CFO-Air,Water)**

Consent No. AW-301635
Valid upto: 30/06/2021

Industry Colour: RED

Industry Scale: LARGE

Karnataka State Pollution Control Board
Parisara Bhavana, No.49, Church
Street, Bengaluru-560001
Tele : 080-25589112/3, 25581383
Fax:080-25586321
email id: ho@kspcb.gov.in

(This document contains 5 pages including annexure & excluding additional conditions)

COPY TO:

- The Environmental Officer, KSPCB, Regional Office Kolar for information and necessary action.
2. Master Register.
 3. Case file.

1. Consent Fee paid : Rs. 150000

SCHEDULE

TERMS AND CONDITIONS

A. TREATMENT AND DISPOSAL OF EFFLUENTS UNDER THE WATER ACT.

1. The discharge from the premises of the occupier shall pass through the terminal manhole/manholes where from the Board shall be free to collect samples in accordance with the provisions of the Act/Rules made there under.
- 2(a). The sewage/domestic effluent shall be treated in septic tank and with soak pit. No overflow from the soak pit is allowed. The septic tank and soak pit shall be as per IS 2470 Part-I & Part-II.
- 2(b). The treated sewage effluent discharged shall conform to the standards specified in Annexure-I.
- 3(a). The trade effluent generated in the industry shall be treated in the ETP and treated effluent shall conform to the standards stipulated by the Board in Annexure-1
- 3(b). The trade effluent shall be handed over to CETP and maintain logbook of effluent generated & sent every day.
4. The applicant shall install flow measuring/recording devices to record the discharge quantity and maintain the record.
5. The applicant shall not change or alter either the quality or the quantity or the place of discharge or temperature or the point of discharge without the previous consent/ permission of the Board.
6. The applicant shall not allow the discharge from the other premises to mix with the discharge from his premises. Storm water shall not be allowed to mix with the effluents on the upstream of the terminal manhole where the flow measuring devices are installed.
7. The daily quantity of domestic effluent and trade effluent from the industry shall not exceed the limits as indicated in this consent order:
8. The applicant shall discharge the effluents only to the place mentioned in the Consent order and discharge of treated/untreated outside the premises is not permitted.

B. EMISSIONS:

1. The discharge of emissions from the premises of the applicant shall pass through the air pollution control equipment and discharged through stacks/chimneys mentioned in Annexure-II where from the Board shall be free to collect the samples at any time in accordance with the provisions of the Act and Rules made there under. The tolerance limits of the constituents forming the emissions in each of the stacks shall not exceed the limits laid down in Annexure-II.
2. The applicant shall provide port holes for sampling of emission, access platforms for carrying out stack sampling, electrical points and all other necessary arrangements including ladder as indicated in Annexure-II.
3. The applicant shall upgrade/modify/replace the control equipment with prior permission of the Board.

C. WATER CESS:

1. The applicant shall provide water meter at all the intake points as specified under Section (5) of the Water Cess Act, 1977 and shall file the Water Cess returns regularly before fifth of every month and also pay the Cess assessed with the time stipulated.



**Consent For Operation
(CFO-Air,Water)**

Consent No. AW-301635
Valid upto: 30/06/2021

Industry Colour: RED Industry Scale: LARGE

Karnataka State Pollution Control Board
Parisara Bhavana, No.49, Church
Street, Bengaluru-560001
Tele : 080-25589112/3, 25581383
Fax: 080-25586321
email id: ho@kspcb.gov.in

(This document contains 5 pages including annexure & excluding additional conditions)

D. MONITORING & REPORTING:

1. The applicant shall get the samples of effluents & emissions collected and get them analyzed once a month/either by in house monitoring laboratory or through EP approved laboratories for the parameters as Indicated in Annexure I & II.
2. The applicant shall maintain log books to reflect the working condition of pollution control systems and also self monitoring results and keep it open for inspection.

E. SOLID WASTE (OTHER THAN HAZARDOUS WASTE) DISPOSAL:

1. The applicant shall segregate solid waste from Hazardous Waste, Municipal Solid Waste and store it properly till treatment/disposal without causing pollution to the surrounding Environment.
2. The solid waste generated shall be handled & disposed by scientific method without causing eye sore to the general public and to the surrounding environment.

F. NOISE POLLUTION CONTROL:

1. The industry shall ensure that the ambient noise levels within its premises shall not exceed the limits i.e 75 dB(A) Leq during day time and 70 dB(A) Leq during night time as specified in under the Air (Prevention and Control of Pollution) Act, 1981.

G. HAZARDOUS WASTES (MANAGEMENT, HANDLING & TRANSBOUNDARY MOVEMENT) 2008:

The applicant shall comply with the provisions of the Hazardous Wastes (Management, Handling & Transboundary Movement) Rules 2008.

H. GENERAL CONDITIONS:

1. The applicant shall not allow the discharge from the other premises to mix with the discharge from his premises.
2. The applicant shall promptly comply with all orders and instructions issued by the Board from time to time or any other officers of the Board duly authorized in this behalf.
3. The applicant shall set-up Environmental Cell comprising of qualified and competent personnel for complying with the conditions specified.
4. The Board reserves the right to review, impose additional conditions, revoke, change or alter terms and conditions of this consent.
5. The applicant shall forthwith keep the Board informed of any accidental discharge of emissions/effluents into the atmosphere in excess of the standards laid down by the Board. The applicant shall also take corrective steps to mitigate the impact.
6. The applicant shall provide alternative power supply sufficient to operate all Pollution control equipments.
7. The entire premises shall always be kept clean. The effluent holding area, inspection chambers, outlets, flow measuring points should made easily approachable.
8. The applicant shall display the consent granted in a prominent place for perusal of the inspecting officers of the Board.
9. The applicant his heirs, legal representatives or assignee shall have no claims what so ever to the continuation or renewal of this consent after expiry of the validity of consent.



**Consent For Operation
(CFO-Air,Water)**

Consent No. AW-301635
Valid upto: 30/06/2021

Industry Colour: RED

Industry Scale: LARGE

Karnataka State Pollution Control Board
Parisara Bhavana, No.49, Church
Street, Bengaluru-560001
Tele : 080-25589112/3, 25581383
Fax:080-25586321
email id: ho@kspcb.gov.in

(This document contains 5 pages including annexure & excluding additional conditions)

10. The applicant shall make an application for consent for subsequent period at least 45 days before expiry of this consent.
11. The applicant shall develop and maintain adequate green belt all around the periphery.
12. The applicant shall provide rain water harvesting system and shall provide proper storm water management system.
13. This consent is issued without prejudice to any Court Cases pending in any Hon'ble Court
14. The applicant shall furnish the Environmental statement for every financial year ending with 31st March in Form-V as per Environment (Protection) Rules, 1986. The statement shall be furnished before the end of September.
15. The applicant shall display flow diagram of the pollution control system near the pollution control system/s.

NOTE:

The following Conditions A(2(a) & 3(b)) mentioned in the schedule are not applicable.

Additional Conditions:

1. Applicant take all necessary steps to ensure that bio-medical waste is handled without any adverse effect BMW rules 2016. 2. Make a provision within the premises for a safe, ventilated and secured location for storage of segregated biomedical waste in colored bags or containers in the manner as specified in Schedule I of the Bio-Medical Waste Management Rules, 2016 3. Applicant shall establish a Bar-Code System for bags or containers containing bio-medical waste to be sent out of the premises.

For and on behalf of the
Karnataka State Pollution Control Board



RAMESH A

Note: All efforts should be made to remove colour and unpleasant odour as far as practicable.

Chi m.N o.	Chimne y attached to	Capacity/ KVA Rating	Minimum chimney height to be provided above ground level (in Mts)	Constituents to be controlled in the emission	Tolerance limits mg/NM3	Fuel	Air pollution Control equipment to be installed, In addition to chimney height as per col.(3)	Date of which air pollution control equipments shall be provided to achieve the stipulated tolerance limits and chimney heights conforming to stipulated heights.
1	D.G. Sets	500 KVA		30 PM(mg/NM3), SO2 (PPM), NOx(PPM)	150,100,50	DIE	AEC	Before commissioning.
2	Incinera tor	For Waste Paper Only		3 PM(mg/NM3), SO2 (PPM), NOx(PPM)	150,100,50	AGR	AEC	Before commissioning.
3	D.G. Sets	250 KVA		5 PM(mg/NM3), SO2 (PPM), NOx(PPM)	150,100,50	DIE	AEC	Before commissioning.

Note:

AEC : Acoustic Enclosures

AEC : Acoustic Enclosures



**Consent For Operation
(CFO-Air,Water)**

Consent No. AW-301635
Valid upto: 30/06/2021

Industry Colour: RED Industry Scale: LARGE

Karnataka State Pollution Control Board
Parisara Bhavana, No.49, Church
Street, Bengaluru-560001
Tele : 080-25589112/3, 25581383
Fax:080-25586321
email id: ho@kspcb.gov.in

(This document contains 5 pages including annexure & excluding additional conditions)

Note:

1. The Noise levels within the premises shall not exceed 75 dB (A) leq during day time and 70 dB(A) leq during night time respectively.
2. The DG set shall be provided with acoustic measures as per SI.No.94 in Schedule-I of Environment (Protection) Rules.
3. There shall be no smell or odour nuisance from the industry.

LOCATION OF SAMPLING PORTHOLES, PLATFORMS, ELECTRICAL OUTLET.

1. Location of Portholes and approach platform:

Portholes shall be provided for all chimneys, stacks and other sources of emission. These shall serve as the sampling points. The sampling point should be located at a distance equal to atleast eight times the stack or duct diameters downstream and two diameters upstream from source of low disturbance such as a Bend, Expansion, Construction Valve, Fitting or Visible Flame for rectangular stacks, the equivalent diameter can be calculated from the following equation.

$$\text{Equivalent Diameter} = \frac{2 (\text{Length} \times \text{Width})}{(\text{Length} + \text{Width})}$$

2. The diameter of the sampling port should not be less than 100 mm dia". Arrangements should be made so that the porthole is closed firmly during the non sampling period
3. An easily accessible platform to accommodate 3 to 4 persons to conveniently monitor the stack emission from the portholes shall be provided. Arrangements for an Electric Outlet Point of 230 V 15 A with suitable switch control and 3 Pin Point shall be provided at the Porthole location.
4. The ladder shall be provided with adequate safety features so as to approach the monitoring location with ease.

Registrar
Sri Devaraj Urs Academy of Higher
Education and Research
Tamaka, Kolar - 563 103.

Authorization - BMW

tel. Fax 080-25586321
e-mail kpsc@kpsc.kar.nic.in
www.kpsc.kar.nic.in

25581383, 25586112
25588151, 25586270
25588142, 25586520



ಕರ್ನಾಟಕ ರಾಜ್ಯ ಮಲಮಲಿ, ಮಲಮಲಿಗಳ ನಿಯಂತ್ರಣ ಮಂಡಳಿ

Karnataka State Pollution Control Board

ಕರ್ನಾಟಕ ರಾಜ್ಯ ಮಲಮಲಿ ಮಂಡಳಿ, #49, ಚರ್ಚ್ ಸ್ಟ್ರೀಟ್, ಬೆಂಗಳೂರು-560001, ಕರ್ನಾಟಕ, ಭಾರತ
"parisara Bhavana", 1st to 5th floor, #49, Church Street, Bangalore- 560 001, Karnataka, INDIA

//BY REGD.POST WITH ACK.DUE//

(This document contains.....06..... pages including the water,annexure)

Combined Consent order No....PCB/RL JalappaHospital & RC/BMW-16..... Dated 28 Oct 2016

Consent for discharge of effluent under the water (prevention and control of pollution) Act 1974 and Emission under the Air (Prevention and control of pollution) Act 1981.

- Ref: (1) Application received at regional Office, Kolar on 17/09/2016
- (2) Inspection of the hospital by EO on 27/09/2016

Consent is hereby granted under section 25/26 Water (prevention and Control of pollution) Act 1974 and under Section 21 of Air (prevention and control of pollution) Act 1981 (herein after referred as the Water Act and the Air Act respectively) and the Rules and Orders made there under and subject to the terms and conditions as detailed in the schedule annexed to this order.

Consent is granted to The Occupier, M/s. R.L.Jalappa Hospital & Research Centre (750 Bedded Hospital), authorizing them to operate their hospital and to make discharge of effluent and emissions from the premises as detailed below:

M/s. R.L.Jalappa Hospital & Research Centre, NH-4, Tamaka, Kolar.
Discharge of effluents under the Water Act:

Sl. No.	Description	Permitted Quantity of discharge	Limits specified refer schedule	Place of discharge
1	Domestic effluent	250 KLD	Annexure I	On land for gardening
2	Liquid Waste (Category 8 of Bio Medical waste (Management and handling rules)1998)			

Discharge of Air emissions under the Air Act from the following stacks/process etc.

Sl.No.	Description of chimney/outlet	Limits specified refer schedule
1	Attached to 750 KVA D.G. Set	Annexure II
	Attached to 500 KVA D.G. Set	
	Attached to 600 KVA D.G. Set	
4	Attached to incinerator (for paper waste only)	

The consent is valid for Discharge of Effluents and Emissions.

A. Ganesha
SENIOR ENVIRONMENTAL OFFICER

I

RLJH/EDLS/EMS/BMW/03B

The consent is granted for the period from 01.07.2016 to 30.06.2021.

For and on behalf of the KSPCB

A. Ganesh
SENIOR ENVIRONMENTAL OFFICER

To,
The Medical Superintendent
M/s, R.L.Jalappa Hospital & Research Centre,
NH-4, Tamaka,
Kolar.

K. Hasad
Registrar
Sri Devaraj Urs Academy of Higher
Education and Research
Tamaka, Kolar - 563 103.

(2)

**SCHEDULE
TERMS AND CONDITIONS**

(to accompany consent No. KSPCB/RL Jalappa Hospital & RC/BMW-16.....)

A. TREATMENT AND DISPOSAL OF EFFLUENT UNDER THE WATER ACT.

1. The discharge from the premises of the applicant shall pass through the terminal manhole/manholes where from the board shall be free to collect sample in accordance with the provision of the Act or Rules made there under.
2. The daily quantity of effluent discharge shall not exceed the limits and shall not contain the constituents in excess of the tolerance limits laid down as indicated in the table below. The applicant shall monitor the quality of effluent for the parameters stipulated as per the frequency indicated.

Sl. No.	Description of the effluents	Daily quantity of discharge in KLD	Tolerance Limits	Frequency of Monitoring
1	2	3	4	5
1	Domestic effluent and	250 KLD	Annexure I	Quarterly
2	Liquid Waste (Category B of Bio Medical Waste (Management and handling Rules)1998)			

3. The applicant shall discharge the effluent only to the place mentioned in the Consent order.
4. The liquid Bio Medical Waste generated from hospital shall be segregated, disinfected and then treated in the treatment plant.
5. The applicant shall arrange for alternate power supply to run and operated the essential units of STP. The applicant shall record recording every hour of inflow and outflow of effluent. The applicant shall maintain log book for the same to verification of inspecting officers.

B. DISCHARGE OF EMISSIONS UNDER THE AIR ACT

1. The discharge of emission from the premises of the applicant shall pass through the stack/chimney/outlet mentioned in consent order where from the Board shall be free to collect the sample at any time in accordance with the ACT or Rules made there under.
2. The rate of emissions discharged and the tolerance limits of the constituents forming the emission in each of the stacks shall not exceed the limits laid down in Annexure II. The applicant shall monitor the emission levels as per frequency schedule indicated in the Annexure II.

C. GENERAL CONDITION APPLICABLE TO ALL ACTIVITIES

1. The applicant shall provide water meters for every source of water and shall submit the cess returns regularly as required under water Cess Act before 5th of every month in the prescribed form.
2. The applicant shall not allow the discharge from the other premises to mix with the discharge from his premises. Storm water shall not be allowed to mix with the effluent on the upstream of the terminal manhole where the flow measuring devices are installed.

A. Srinivas
SENIOR ENVIRONMENTAL OFFICER

3. The applicant shall not change or alter quality or quantity or the rate of discharge temperature or the route of discharge without the previous consent of the Board.
4. The applicant shall promptly comply with all orders and instruction issued from time to time by the Board or any other officers of the Board duly authorized in this behalf.
5. The applicant shall display the consent granted in a prominent place for perusal of the inspecting officers of the Board.
6. The applicant shall dispose all bio medical waste as per the authorization issued by board under Bio-medical waste (M&H) rules 1998.
7. The applicant shall dispose expired drugs as per authorization issued by board under Bio-medical waste (M&H) rules 1998 and maintain record for the same.
8. Solid Waste Management:
 - (a) The applicant shall segregated solid waste Hazardous waste/Bio-medical waste /Municipal solid waste and store it properly till treatment/disposal without causing pollution to Environment.
 - (b) Bio medical shall be handed over to common Bio medical waste treatment facility to M/s. meeraenviro tech P Ltd, approved by Board.
9. Noise pollution Control:
 - (a) The applicant shall take steps noise levels so as to maintain ambient air quality standard in respect of noise as laid down under the Air Act 1981.
 - (b) The applicant shall provide necessary acoustic enclosures of measures to control noise levels generated from the DG sets as per environment protection Rules, 1986.
10. Monitoring and reporting:
 - a. The applicant shall carryout self-monitoring of effluent and emission at the frequency indicated below and furnished the report of analysis to the area regional officer.
 - b. The analysis of effluents and emission may be carried out in house laboratory/ KSPCB approved laboratory/ laboratories approved under EP Act.
 - c. The applicant shall maintain log books to reflect the working condition of pollution control systems and also self-monitoring results and keep it open for inspection.
11. The applicant, is heirs, legal representatives or assigns shall have no claim what so ever to the continuation or renewal of this consent after expiry of the period of consent.
12. The applicant shall forth with keep the Board informed of any accident of unforeseen act or event of any poisonous, noxious or polluting matter or emission are being discharged into stream or well or air as a result of such discharge, water or air is being polluted.
13. The Board reserves the right to review, impose additional conditions, revoke, change or alter terms and conditions of this consent.
14. The applicant shall make an application for consent at least 120 days before expiry of this consent.


SENIOR ENVIRONMENTAL OFFICER

ANNEXURE - II

Chimney	Chimney Attached to	Minimum Chimney Height to be Provided Above ground	Rate to Emission On NM ₂ Hr.	Constituent To be Controlled In the emission	Tolerance Limits Mg/nm ³	Air pollution Control equipment To be installed, In addition to Chimney height As per Col (3)	Date of which Air pollution Control equipment shall be provide to achieve the stipulated tolerance limits & chimney height conforming to stipulated heights.	Remarks
01	02	03	04	05	06	07	08	09
1	750 KVA D.G. Set	30 Mtr Above Ground level	-	SO ₂	-	acoustic enclosure	At all times	1) the emission Rate of all chimneys shall be reported within 30 days.
2	600 KVA D.G. Set	30 Mtr Above Ground level	-	SO ₂	-	acoustic enclosure	At all times	2) Details of D.G. Sets if any like KVA rating fuel consumption in Kg/hr chimney height above roof level and dia to be furnished within 30 days. D.G. sets and other noise generating machinery to be provided with silencers, mufflers to reduce the noise pollution.
3	500 KVA D.G. Set	30 Mtr Above Ground level	-	SO ₂	-	acoustic enclosure	At all times	3) there shall be No smell or odour Nuisance from The industry.
4	Incinerator (for paper Waste only)	30 mtr AGL	-	-	-	-	At all times	4) there shall be No other sources Of air pollution.

Note: The noise levels shall not exceed 50 dB(A) leq. & 40 dB(A) leq. During day time and night time respectively

A. Senthil
SENIOR ENVIRONMENTAL OFFICER

Annexure I

Standards for Liquid Biomedical Waste and Sewage

Sl.No.	Parameters	Permissible limits	
		On land for irrigation	Urban Reuse
1	Suspended solids mg/l, max	13.0	-
2	PH value	7.4	6 to 9
3	Oil and grease mg/l, max	2.0	-
4	Biochemical Oxygen Demand mg/l, max	12.0	<10
5	Mercury (As Hg), mg/l, max	-	-
6	Residual Chlorine mg/l	562.0	>1
7	Turbidity, NTU	-	>2
8	E Coli	Absent	None

Loading rate of treated effluent on land for irrigation

Sl.No.	Soil texture	Loading rate in m/Hec/Day
1	Sandy	225 to 280
2	Sandy loam	170 to 225
3	Loam	110 to 170
4	Clay loam	55 to 110
5	Clayey	35 to 55

A. Jinnel
SENIOR ENVIRONMENTAL OFFICER

K. Kasad
Registrar
Sri Devaraj Urs Academy of Higher
Education and Research
Tamaka, Kolar - 563 103.




सत्यमेव जयते

INDIA NON JUDICIAL

Government of Karnataka

e-Stamp

Certificate No. : IN-KA42974933555932S
 Certificate Issued Date : 12-Oct-2020 01:58 PM
 Account Reference : NONACC (FI)/ kacrsf108/ KOLAR9/ KA-KO
 Unique Doc. Reference : SUBIN-KAKACRSFL0881359157240565S
 Purchased by : VV INCIN SOLUTIONS PVT LTD
 Description of Document : Article 5(J) Agreement (In any other cases)
 Property Description : AGREEMENT
 Consideration Price (Rs.) : 0
 (Zero)
 First Party : VV INCIN SOLUTIONS PVT LTD
 Second Party : SDUAHR TAMAKA KOLAR
 Stamp Duty Paid By : VV INCIN SOLUTIONS PVT LTD
 Stamp Duty Amount(Rs.) : 100
 (One Hundred only)



SRI EARLAPPASWAMY BALAKRISHNAN
 SAHAKARA SANGHA
 MEKKE CIRCLE, KOLAR-563103

Please write or type below this line

AGREEMENT

This service Agreement for Collection, Transportation, Treatment and Disposal of Bio - Medical Waste and Supply of 10,000 Nos Standard poly Covers. COLORS:- Yellow , Red is made and executed on this day the October, 21st Two Thousand Twenty (herein to be referred to as the "Effective Date" at Tamaka, Kolar and made by and between)



Statutory Alert:

1. The authenticity of this Stamp certificate should be verified at www.e-stamp.gov.in or using e-Stamp Mobile App of Stock
2. Any discrepancy in the details on the Certificate and as available on the website / Mobile App renders it invalid
3. The onus of checking the legitimacy is on the users of the certificate
4. In case of any discrepancy please inform the Competent Authority

M/s. Prajwal BMW Management Systems, (A Unit of VV Incin Solutions, Private Limited), H.O #1, Second Floor, Roopa Complex No. 66 & 67 Ganesha Layout, M.S Palya, Vidyanarayapura Pura Post, Bangalore - 560097 bearing PAN NO. :- AAECV0965C. Prajwal enterprises -GST NO :- 29AKBPN3583G2ZX Mobile: - 9901773131 for supply of consumables, herein after called the Occupier which expression shall mean and include his heirs, legal representatives etc. on the one part AND

The Registrar Sri Devaraj Urs Academy of Higher Education and Research, Tamaka, Kolar herein after called the Custodian of property which expression where the contest of agreement shall include his successors in office as per the Sri Devaraj Urs Academy of Higher Education and Research, Tamaka, Kolar, whereas the Custodian is the absolute owner and is in possession of the schedule property on the other part.

1. Payment for Service charges of Bio Medical Waste Management in favour of VV Incin Solutions, Private Limited, Bangalore.

Sl. No	Description	Period	Per Month Charges.
1	<u>NON-COVID-19 REGULAR WASTE</u> : - Collection, Transportation, Treatment and final disposal of Bio medical waste from your hospital/ College as per norms of 2016 Biomedical waste disposal guidelines. <u>FOR 1000 BEDDED HOSPITAL</u> . The rates are applicable for 3 years.	21/10/2020 To 20/10/2023 (3 Years)	Rs. 1,05,000 /- Exemption
2	<u>COVID-19 WASTE</u> : - Collection of Bio Medical waste / Covid-19 Transportation, Treatment & Disposal of the same except liquid waste, Radioactive elements & Hazardous waste and Blood products. The rates are applicable only as long as COVID-19 exists.	21/10/2020 To 20/10/2023 (3 Years)	Rs. 35/- Per Kg Exemption

2. Payment for Supply of Covers (Bio Medical Waste) in favour of M/s Prajwal Enterprises

3	Polythene Bags (80 GSM) Yellow - 30 Ltrs capacity 21' X 24'	2500	Nos	Rs.	3.75	18% GST
	Polythene Bags (80 GSM) Yellow - 60 Ltrs capacity 28" X 36"	2500	Nos	Rs.	7.50	
	Polythene Bags (80 GSM) Red - 30 Ltrs capacity 21' X 24'	2500	Nos	Rs.	3.75	
	Polythene Bags (80 GSM) Red - 60 Ltrs capacity 28" X 36"	2500	Nos	Rs.	7.50	
4	Bar Code Sticker and soft copy / APP	10000	No	Rs.	0.80	



3. The Operator, with the Consent from Karnataka State Pollution Board, shall run the common Treatment Facility to treat and dispose the Bio Medical Waste Produced by the Occupier. The facility consists of Bio-Medical Waste Treatment equipment's including Incinerator, Autoclave and Low speed shredders as per the CPCB norms.
4. The Occupier shall handover the solid Bio-Medical Waste to the Operator only after meticulously segregating the waste completely and packing in the respective color-coded bags as per the Bio Medical Waste (Handling and Management) Rules,2016: for the treatment and disposal. In case of any amputated body parts, the hospital must properly pack the same in yellow bags only and the Occupier must give a declaration letter regarding the amputation ,failing which , the Operator shall not collect the waste.
5. The Occupier has a total of 940 beds in the health care establishment as per the records submitted to the concerned authorities. This information is considered for fixing the price payable to the Operator However, if the number of beds as per actual at any given time is more than that of the furnished information , the price charged shall be on the basis of actual beds present in the health care facility.
6. The Occupier shall not enter into contract with any other biomedical waste management Operator / agency for this work during the contract period.
7. The Occupier shall ensure timely payment to the Operator on or before 7th of Every Month.
8. A Destruction Certificate shall be issued by the Operator to the Occupier periodically certifying that the Bio - Medical Waste produced by the Occupier is treated and disposed. This will help the Occupier with the Karnataka State Pollution Control Board's compliance requirement to run the health care facility. This individual health care facility/Occupier can take the Authorization from the Karnataka State Pollution Control Board by informing the Board that their waste is collected and treated by M/s. Prajwal BMW Management Systems, (A Unit of VV Incin Solutions, Private Limited). (The same shall be mentioned in the Authorization form).
9. In case the Occupier finds any irregularities in collection of waste, they may intimate the Operator for immediate action.
10. In case of non - collection of waste as agreed by the Operator, a penalty of Rs. 0.75/- beds /day shall be deducted by the Occupier in the gross amount payable to the Operator.
11. The Operator shall make his own arrangements for the engagement of requisites staff and labour at his own cost towards the collection of Bio-Medical Waste from the final collection point/central storage area located in the premises of the occupier.



12. The Operator shall, if required by the Occupier, deliver to Occupier a return detail, in such a form and at such intervals as the Employer may prescribe, showing the staff and numbers of several classes of labour from time to time employed by the Operator on the site and such other information as the Occupier may require.
13. In case of violation of any of the agreed conditions of this MOU, either the Operator or the Occupier may issue a 3 months' notice to terminate this arrangement.
14. Latest license copy from Karnataka State Pollution Control board approval authority to be submitted along with invoice.
15. Ensure occupational safety of all its health care workers and others involved in handling of Bio-Medical Waste by providing appropriate and adequate personal protective equipment's.
16. Health checkup records to be submitted at least once in a year for all involved in handling of Bio-Medical Waste.
17. Bio-Medical Waste Management records and displays the monthly record in the waste management room and details to be submitted along with invoices.
18. The authorized shall comply with the provisions of the Environment (Protection) Act, 1986 and the rules made there under.
19. The authorization or its renewal shall be produced for inspection at the request of an officer authorized by the prescribed authority.
20. The person authorized shall not rent, lend, sell, transfer or otherwise transport the biomedical wastes without obtaining prior permission of the prescribed authority.
21. It is mandatory to provide the BMW app in the name of R.L.Jalappa Hospital & there must be a access for the Institution.
22. All the disputes to this understanding are subject to the jurisdiction of court in Bangalore only. All the points mentioned above shall have legal binding for a period of Three years from the date of this agreement. This agreement is effective from the 21st day of October, 2020 to 20th October, 2023 and is renewable with mutual consent of both the parties.

S.M. Azlem, M
 Medical Superintendent
 BLJH & RC
 Medical Superintendent
 R.L.J. Hospital & Research Centre
 Tamaka, KOLAR-563 101.

Executive Engineer
 SDUAHER

Registrar
 SDUAHER

M/s VV Incin
 Solutions, B'lore



Registrar
 Sri Devaraj Urs Academy of Higher
 Education and Research
 Tamaka, Kolar - 563 103.

RLJH/CDLS/AMS/BMW/03C





सत्यमेव जयते

INDIA NON JUDICIAL
Government of Karnataka

e-Stamp

Certificate No. : IN-KA61869045711929Q
Certificate Issued Date : 25-May-2018 10:27 AM
Account Reference : NONACC (FI)/ kaksfcl08/ KOLAR/ KA-KO
Unique Doc. Reference : SUBIN-KAKAKSFCL0868527539740054Q
Purchased by : MEERA ENVIROTECH PVT LTD
Description of Document : Article 12 Bond
Description : M O U
Consideration Price (Rs.) : 0
(Zero)
First Party : MEERA ENVIROTECH PVT LTD
Second Party : S D U A H E R TAMAKA KOLAR
Stamp Duty Paid By : MEERA ENVIROTECH PVT LTD
Stamp Duty Amount(Rs.) : 100
(One Hundred only)





SRI SAI SOUARDHA CREDIT
CO-OPERATIVE Ltd.,
Doddapeta, Opp : B.E.O. Office
KOLAR - 583 101.


.....Please write or type below this line.....


AGREEMENT

This service Agreement for Collection, Transportation, Treatment and Disposal of Bio - Medical Waste and Supply of 5000 Nos Standard poly Covers. COLORS:- Yellow, Red is made and executed on this day the June 1st Two Thousand Eighteen (herein to be referred to as the "Effective Date" at Tamaka, Kolar and made by and between)


28/5
Medical Superintendent
RLJH & RC
TAMAKA, KOLAR-583103







1. M/s Meera Envirotech Pvt Ltd., Bangalore Sy. No. 204, Haleri Cross, Sugatur Hobli Kolar Taluk - 563101.Karnataka, bearing PAN NO. :- AANCS5938B ,GST NO :- 29AANCS5938B1Z0 Mobile: - 8105525559 herein after called the Occupier which expression shall mean and include his heirs, legal representatives etc. on the one part AND
2. The Registrar Sri Devaraj Urs Academy of Higher Education and Research, Tamaka, Kolar herein after called the Custodian of property which expression where the contest of agreement shall include his successors in office as per the Sri Devaraj Urs Academy of Higher Education and Research, Tamaka, Kolar, whereas the Custodian is the absolute owner and is in possession of the schedule property on the other part.
3. Payment for Service charges of Bio Medical Waste Management details.

Sl. No	Description	Period	Per Month Charges
1	Bio medical waste Collection , Transportation , Treatment and Disposal	01/06/2018 To 31/05/2023 (5 Years)	Rs. 60,000.00
TOTAL - Taxes applicable if any			Rs. 60,000.00

4. Payment for Supply of Covers (Bio Medical Waste)details.

Sl. No	Description	Period	Per Month Charges
1	Supply of 5000 Nos Standard poly Covers. <u>COLORS:- Yellow, Red.</u>	01/06/2018 To 31/05/2023 (5 Years)	Rs. 17,500.00 + GST Extra
TOTAL			Rs. 17,500.00 + GST Extra.


5. The Operator, with the Consent from Karnataka State Pollution Board, shall run the common Treatment Facility to treat and dispose the Bio Medical Waste Produced by the Occupier. The facility consists of Bio-Medical Waste Treatment equipment's including Incinerator, Autoclave and Low speed shredders as per the CPCB norms.

[Signature]
TAMAKA - KOLAR - 563101

[Signature]
Sri Devaraj Urs Academy of Higher
Education and Research
Tamaka, Kolar - 563101

[Signature]
D. N. S.

6. The Occupier shall handover the solid Bio-Medical Waste to the Operator only after meticulously segregating the waste completely and packing in the respective color-coded bags as per the Bio Medical Waste (Handling and Management) Rules,2016: for the treatment and disposal. In case of any amputated body parts, the hospital must properly pack the same in yellow bags only and the Occupier must give a declaration letter regarding the amputation ,failing which , the Operator shall not collect the waste.
7. The Occupier has a total of 865 beds in the health care establishment as per the records submitted to the concerned authorities. This information is considered for fixing the price payable to the Operator However, if the number of beds as per actual at any given time is more than that of the furnished information , the price charged shall be on the basis of actual beds present in the health care facility.
8. The Operator shall charge a fixed amount of Rs. 60,000/- (Rupees Sixty thousand only) Per Month + If applicable Service tax will be Extra towards the Collection ,Treatment and final disposal of Bio - Medical Waste. The Operator shall also charge of Rs. 17,500/- (Rupees Seventeen thousand five hundred only) Per Month + GST Extra for Supply of 5000 Nos Standard poly Covers. COLORS: - Yellow, Red. The price shall be fixed for a period of five years. However, the price shall be revised proportionately in case the hospital is upgraded during the Contract period. The Occupier will perform such duties in regard to the deduction of taxes at source as per the applicable laws.
9. The Occupier shall not enter into contract with any other biomedical waste management Operator / agency for this work during the contract period.
10. The Occupier shall ensure timely payment to the Operator on or before 7th of Every Month.
11. The Operator shall collect the Bio - Medical Waste regularly (excluding Sundays) from a single designated collection point and treat the waste as per the stipulated guidelines. The Operator shall strictly not collect any general garbage/municipal solid waste.
12. A Destruction Certificate shall be issued by the Operator to the Occupier periodically certifying that the Bio - Medical Waste produced by the Occupier is treated and disposed. This will help the


Medical Officer
ALJH & RE
TAMARA, KOLAR-562107


Registrar
Sri Devaraj Urs Academy of Higher
Education and Research
Tosahalli, Kolar - 562107




Occupier with the Karnataka State Pollution Control Board's compliance requirement to run the health care facility. This individual health care facility/Occupier can take the Authorization from the Karnataka State Pollution Control Board by informing the Board that their waste is collected and treated by M/s Meera Envirotech Pvt Ltd., (The same shall be mentioned in the Authorization form).

13. In case the Occupier finds any irregularities in collection of waste, they may intimate the Operator for immediate action.
14. In case of non - collection of waste as agreed by the Operator, a penalty of Rs. 0.75/- beds /day shall be deducted by the Occupier in the gross amount payable to the Operator.
15. The Operator shall make his own arrangements for the engagement of requisites staff and labour at his own cost towards the collection of Bio-Medical Waste from the final collection point/central storage area located in the premises of the occupier.
16. The Operator shall, if required by the Occupier, deliver to Occupier a return detail, in such a form and at such intervals as the Employer may prescribe, showing the staff and numbers of several classes of labour from time to time employed by the Operator on the site and such other information as the Occupier may require.
17. In case of violation of any of the agreed conditions of this MOU, either the Operator or the Occupier may issue a 2 months notice to terminate this arrangement.
18. All the disputes to this understanding are subject to the jurisdiction of court in Bangalore only. All the points mentioned above shall have legal binding for a period of Five years from the date of this agreement. This agreement is effective from the 1st day of June, 2018 to 31st May, 2023 and is renewable with mutual consent of both the parties.

Medical Superintendent

RLJH & RC

28/5/18

Executive Engineer

SDUAHER

Registrar

SDUAHER
Registrar

M/s Meer Envirotech

Pvt Ltd., Kolar

Sri Devaraj Urs Academy of Higher
Education and Research
Tamaka, Kolar - 563 101



Registrar
Sri Devaraj Urs Academy of Higher
Education and Research
Tamaka, Kolar - 563 103.